



AUSTRALIAN NATIVE
BY HURFORD'S





Blackbutt



Rustic Blackbutt



Blue Gum



Brush Box



Spotted Gum


Hurford's superior kiln drying process helps to minimise lamella movement, preventing potential stability issues like twisting, cupping and checking.

Emphasising Australia's much loved classic species, Blackbutt, Blue Gum, Brush Box & Spotted Gum.

Australian Native provides that organic, natural, warm feeling. The pre-finished range features a micro bevel and a matte finish, to achieve a floor that's earthy and effortless. Manufactured using a low shrinkage and eco-friendly Hevea as the core material and a tough Australian hardwood lamella for the wear layer, produces a product that's consistent in quality and structural stability. Australian Natives construction also incorporates a licensed Välinge click system, using a single action installation method, which saves time and ensures you can enjoy your new floor instantly.

Utilising the latest in environmentally friendly UV coatings, our Bona lacquer system delivers a floor finish similar to a stylish oiled floor but with the durability and protection a UV lacquer offers. Australian Native engineered flooring provides a practical yet stylish option suited for day-to-day use in most applications.

Also available, in addition the Australian Native range offers Rustic Blackbutt. A full featured floor with prominent gum veins, gum pockets, trails, burls and borer holes. The feature does not interfere with the structural integrity of the floor, but offers a glimpse of the intense life in the Australian Bush; drought, ambrosia attack and fierce wildfires are just some of the elements a tree needs to endure to produce these beautiful and interesting features. An impressive choice, adding value and character to any interior.






AUSTRALIAN NATIVE
BY HURFORD'S

Species	Blackbutt, Blue Gum, Brush Box, Spotted Gum & Rustic Blackbutt	Blackbutt, Spotted Gum & Rustic Blackbutt
Core Material	Hevea	Hevea
Locking System	Välinge 5G Glueless Joining System	Välinge 5G Glueless Joining System
Width	132mm	180mm
Thickness	14mm	14mm
Edge Profile	Micro Bevel (Sides and Ends)	Micro Bevel (Sides and Ends)
Wear Layer	4mm	4mm
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Surface	Smooth Texture	Smooth Texture
Coating	Bona UV Lacquer System	Bona UV Lacquer System
Finish	Matte 8-12%	Matte 8-12%
Packaging	8 rows per box, maximum of 3 nested rows (Rustic Blackbutt only: 8 rows per box, maximum of 4 nested rows)	6 rows per box, maximum of 3 nested rows (Rustic Blackbutt: 6 rows per box, max 4 nested rows)
Underlay	HUSHwalk Underlay	HUSHwalk Underlay

Layup...



Auckland

Hurford Flooring Showroom
Unit 11/18 Corinthian Drive,
Albany, AUCKLAND 0632
BY APPOINTMENT ONLY
Phone: 0800 HURFORD (0800 487 3673)
info@hurfordflooring.co.nz

hurfordwholesale.co.nz

Tauranga

50 Hull Road
Mt Maunganui 3116
Phone: 0800 HURFORD (0800 487 3673)
info@hurfordflooring.co.nz



HWH2472